

SIMPLE SECURITY WITHOUT COMPROMISE

FFT Secure Point is a high performance fiber optic dual zone intrusion detection system for perimeter security.

For perimeter security, FFT Secure Point detects climbing, cutting, lifting and digging under gates and fences using fiber optic sensor cables mounted using cable (zip) ties.

Simple to install, FFT Secure Point provides affordable fiber optic intrusion detection without compromise for small sites and shorter distances. Advanced signal processing and event discrimination offer highly sensitive intrusion detection with minimal nuisance alarms.

KEY BENEFITS AND FEATURES

- Detects fence climbing, cutting and lifting, digging under fences
- Simple installation using pre connectorised cables and setup software
- Two detection zones (channels)
- Up to 1.6km (1 mile) of sensor cable per zone
- Up to 10km (6 miles) of insensitive lead-in cable from controller to sensor cable
- High sensitivity and probability of detection with low false/ nuisance alarm rate
- · Effective across a wide temperature range
- Immune to RFI/EMI and intrinsically safe
- Two-year warranty

HOW IT WORKS

For each channel of detection, the FFT Secure Point controller transmits and receives laser light down two optical fiber arms. The core technology is laser based optical fiber phase interferometry.

Each intrusion detection zone is created by connecting sensing fibers between a start and an end element. Start elements can be mounted in the controller or separated from the controller by insensitive lead-in cables. Multiple controllers can be deployed to protect those sites or applications requiring more than two zones.

Nuisance alarms that FFT Secure Point filters out include environmental effects such as wind, rain, hail, sandstorms, vegetation motion, and adjacent vehicular traffic. When an intrusion is detected, FFT Secure Point activates output relays and sends intrusion alarm information to FFT CAMS software (when connected).



APPLICATIONS

- Industrial complexes
- Utility substations
- Solar farms
- VIP residences
- Storage yards
- Construction sites
- > Pumping stations
-) Block valve sites



WHY FFT SECURE POINT

- Delivers a cost effective and flexible solution for smaller perimeters. The sensor cable connected to each channel can be up to 1.6km (1 mile) in length.
- Can be wall mounted, rack mounted or outdoor fence mounted in NEMA 4 enclosures. Each sensor cable can be separated from the controller by up to 10km (6 miles) of insensitive fiber optic lead-in cable, avoiding false alarms due to cable disturbance outside intrusion detection zones.
- Designed for easy out-of-the-box installation with simple-to-use configuration software including standard menu selections for a wide range of fence mounted and buried applications.
- Conveniently interfaces (via TCP/IP and FFT CAMS[™]) to more than 40 security, video and access control management systems and to a wide range of devices including security cameras, lighting, access controls, programable logical controllers, SNMP, email and text messaging.

ABOUT AVA GROUP

Future Fibre Technologies is an Ava Group Company, a global leader in providing technologies and services to protect critical and high value assets and infrastructure. Trusted by some of the most security conscious commercial, industrial, military and government clients in the world, the Group offers a range of complementary solutions including intrusion and condition monitoring, perimeter detection and illuminators, and biometric and card access control.



For more information about our products, visit: www.fftsecurity.com Contact us: sales@fftsecurity.com

To find out more about the Ava Group, visit: www.theavagroup.com

© 2022 Future Fibre Technologies Pty. Ltd. All rights reserved. Errors and omissions excepted | Products may change in the interest of technical improvements without notice.